
EXHIBIT 1

Proportion of Medicaid-Insured Patients in a Physician Panel Relative to Patients with Other Types of Coverage

Medicaid share distribution




Data: Authors' analysis of data from the National Ambulatory Medical Care Survey, 2006–2019.

Source: Dong Ding and Sherry Glied, Are Medicaid Patients Seen in Office-Based Practices Getting High-Quality Primary Care? (Commonwealth Fund, Jan. 2023). https://doi.org/10.26099/ffen-na76



EXHIBIT 2 Cumulative Distribution of Primary Care Visits, by Payment Type, 2006–2019

Cumulative percent of visits




Data: Authors' analysis of data from the National Ambulatory Medical Care Survey, 2006–2019.



EXHIBIT 3 Percentage of Care Guidelines Met for Nonelderly Adult Visits

Regression-adjusted means of percent of care guidelines met, adults ages 19-64 only



Visits to Medicaid-zero PCPs

Visits to Medicaid-only PCPs

Note: Bars indicate 95% confidence intervals.


Data: Authors' analysis of data from the National Ambulatory Medical Care Survey, 2006–2019.

Source: Dong Ding and Sherry Glied, Are Medicaid Patients Seen in Office-Based Practices Getting High-Quality Primary Care? (Commonwealth Fund, Jan. 2023). <u>https://doi.org/10.26099/ffen-na76</u>



Rates of Electronic Health Record System Adoption for Medicaid-Zero Practices and Medicaid-Only Practices

Regression-adjusted means



Note: Bars indicate 95% confidence intervals.

Data: Authors' analysis of data from the National Ambulatory Medical Care Survey, 2006–2019.

Source: Dong Ding and Sherry Glied, Are Medicaid Patients Seen in Office-Based Practices Getting High-Quality Primary Care? (Commonwealth Fund, Jan. 2023). https://doi.org/10.26099/ffen-na76

